



## Chilled vertical cabinets GRANVISTA



### Product categories



### Technical features







| GRANVISTA |         |      |    |      |    |      |    |      |    |        |    |
|-----------|---------|------|----|------|----|------|----|------|----|--------|----|
| Length mm |         | 1250 |    | 1875 |    | 2500 |    | 3750 |    | MT2000 |    |
| Height mm |         | 20   | 22 | 20   | 22 | 20   | 22 | 20   | 22 | 20     | 22 |
| GRANVISTA | Compact | •    | •  | •    | •  | •    | •  | •    | •  |        |    |
|           | Narrow  | •    | •  | •    | •  | •    | •  | •    | •  | •      | •  |
|           | Large   | •    | •  | •    | •  | •    | •  | •    | •  | •      | •  |




GranVista 20 Compact




GranVista 20 Narrow




GranVista 20 Large



GranVista 22 Compact



## GranVista 22 Large



Technical drawing of the refrigerator showing internal shelves and dimensions. The width is 475 mm and the height is 2270 mm. The internal height is 2470 mm.



## Legend

|  |                               |  |                                        |  |                              |  |                                     |
|--|-------------------------------|--|----------------------------------------|--|------------------------------|--|-------------------------------------|
|  | Meat                          |  | Chicken                                |  | Fish                         |  | Pre-packed fish                     |
|  | Delicatessen                  |  | Cheese                                 |  | Dairy products               |  | Gastronomy                          |
|  | Pastries                      |  | Pre-packed fruit and vegetables        |  | Fruits and Vegetables        |  | Sandwiches                          |
|  | Drinks                        |  | Pizza                                  |  | Bread                        |  | Frozen food and ice cream           |
|  | Off-cycle defrost             |  | Electric defrost                       |  | Hot-gas defrosting system    |  | Manual defrost                      |
|  | Ventilated                    |  | Static                                 |  | Incorporated condensing unit |  | Remote condensing unit              |
|  | Bagnomaria                    |  | Ceramic glass                          |  | Ice                          |  | VSD Inverter technology             |
|  | LED lighting                  |  | Zero C doors                           |  | High efficiency fans         |  | R290 Propane refrigerant gas (R290) |
|  | R-134a - 400V/3PH/50Hz        |  | R404A - 400V/3PH/50Hz                  |  | R744 - 400V/PH/50Hz          |  | Compressor hermetic reciprocating   |
|  | Hermetic scroll compressor    |  | Semi-hermetic reciprocating compressor |  | VSD Inverter technology      |  | External installation               |
|  | Machinery room                |  | Soundproof housing                     |  | On board condenser           |  | Remote condenser                    |
|  | DUAL Medium & Low temperature |  | Technokleen                            |  | Thin Tech                    |  | EB                                  |