




Chilled vertical cabinets LION HF445G



ZERO°TECNOLOGY

Product categories







Technical features






LION HF445G																		
Length mm			1250		1875		2500		3750		MT1370		MT1790		MT2000		MT2310	
Height mm			2000	2200	2000	2200	2000	2200	2000	2200	2000	2200	2000	2200	2000	2200	2000	2200
LION HF445 G	Narrow	1V	•	•	•	•	•	•	•	•								
		2V	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
		HP	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
	Large	1V	•	•	•	•	•	•	•	•								
		2V	•	•	•	•	•	•	•	•			•	•	•	•	•	•
		HP	•	•	•	•	•	•	•	•			•	•	•	•	•	•





EPTABLUE OPTION



	L	H (mm)	
		20	22
LION C-N	2500	2380	2580
	3750	2280	2480
	1875	2380	2580
LION L	2500	2280	2480
	3750	2280	2480
	MT200	2380	2580
	MT2310	2380	2580



Legend

	Meat		Chicken		Fish		Pre-packed fish
	Delicatessen		Cheese		Dairy products		Gastronomy
	Pastries		Pre-packed fruit and vegetables		Fruits and Vegetables		Sandwiches
	Drinks		Pizza		Bread		Frozen food and ice cream
	Off-cycle defrost		Electric defrost		Hot-gas defrosting system		Manual defrost
	Ventilated		Static		Incorporated condensing unit		Remote condensing unit
	Bagnomaria		Ceramic glass		Ice		VSD Inverter technology
	LED lighting		Zero C doors		High efficiency fans		R290 Propane refrigerant gas (R290)
	R-134a - 400V/3PH/50Hz		R404A - 400V/3PH/50Hz		R744 - 400V/PH/50Hz		Compressor hermetic reciprocating
	Hermetic scroll compressor		Semi-hermetic reciprocating compressor		VSD Inverter technology		External installation
	Machinery room		Soundproof housing		On board condenser		Remote condenser
	DUAL Medium & Low temperature		Technokleen		Thin Tech		EB