




Serve-over VELVET C INTEGRAL



Epta S.p.A. participates in the ECC programme for:
Refrigerated display cabinets (RDC). Check ongoing validity
of certificate online: www.eurovent-certification.com
or using: www.certiflash.com



Product categories



Technical features







VELVET C INTEGRAL					
Length mm		937	1250	1875	2500
VELVET C INTEGRAL	RDB	•	•	•	•
	RDA	•	•	•	•
	WO	•	•	•	•
	RDBP	•	•	•	•
	RCB	•	•	•	•
	LS	•	•	•	•




RDA




RBD



RBDP




WO








RCB



LS-C




LS-U







VELVET C STUDIO LS-U




VELVET C STUDIO RCB




VELVET C STUDIO RDA




VELVET C STUDIO RDB



VELVET C DESIGN LS-C




VELVET C DESIGN LS-U







VELVET C DESIGN RDA



VELVET C DESIGN RDB



VELVET C DESIGN WO





Legend

	Meat		Chicken		Fish		Pre-packed fish
	Delicatessen		Cheese		Dairy products		Gastronomy
	Pastries		Pre-packed fruit and vegetables		Fruits and Vegetables		Sandwiches
	Drinks		Pizza		Bread		Frozen food and ice cream
	Off-cycle defrost		Electric defrost		Hot-gas defrosting system		Manual defrost
	Ventilated		Static		Incorporated condensing unit		Remote condensing unit
	Bagnomaria		Ceramic glass		Ice		VSD Inverter technology
	LED lighting		Zero C doors		High efficiency fans		R290 Propane refrigerant gas (R290)
	R-134a - 400V/3PH/50Hz		R404A - 400V/3PH/50Hz		R744 - 400V/PH/50Hz		Compressor hermetic reciprocating
	Hermetic scroll compressor		Semi-hermetic reciprocating compressor		VSD Inverter technology		External installation
	Machinery room		Soundproof housing		On board condenser		Remote condenser
	DUAL Medium & Low temperature		Technokleen		Thin Tech		EB